

Material Key:

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

775



Single banjo bolt JIC

Part No.	Thread	Mat	Note
775-02C	5/16 x 24	C	-
775-03-02Z1	5/16 x 24	Z1	For banjo -03
775-03C	3/8 x 24	C	-
775-03CBK	3/8 x 24	C	Black
775-03CH	3/8 x 24	CH	-
775-03D	3/8 x 24	D	Red
775-03DBK	3/8 x 24	D	Black
775-03LC	3/8 x 24	C	Long (25 mm under hex)
775-03LCH	3/8 x 24	CH	Long (25 mm under hex)
775-03LZ1	3/8 x 24	Z1	Long (25 mm under hex)
775-03Z1	3/8 x 24	Z1	-

992



Single banjo bolt metric

Part No.	Thread	Mat	Note
992-02-21C	M8 x 1,00	C	-02 hole
992-02-22C	M8 x 1,25	C	-02 hole
992-03-21C	M8 x 1,00	C	-03 hole
992-03-22C	M8 x 1,25	C	-03 hole
992-03-31C	M10 x 1,00	C	-03 hole
992-03-31CH	M10 x 1,00	CH	-03 hole
992-03-31D	M10 x 1,00	D	-03 hole - red
992-03-31DBK	M10 x 1,00	D	-03 hole - black
992-03-31DBU	M10 x 1,00	D	-03 hole - blue
992-03-31LC	M10 x 1,00	C	Long (25 mm under hex)
992-03-31LCH	M10 x 1,00	CH	Long (25 mm under hex)
992-03-31LZ1	M10 x 1,00	Z1	Long (25 mm under hex)
992-03-31SC	M10 x 1,00	C	Short (18 mm under hex)
992-03-31SCBK	M10 x 1,00	C	Short (18 mm under hex) - black
992-03-31SD	M10 x 1,00	D	Short (18 mm under hex) - red
992-03-31SDBK	M10 x 1,00	D	Short (18 mm under hex) - black
992-03-31SDBU	M10 x 1,00	D	Short (18 mm under hex) - blue
992-03-31SZ1	M10 x 1,00	Z1	Short (18 mm under hex)
992-03-31Z1	M10 x 1,00	Z1	-03 hole
992-03-32C	M10 x 1,25	C	-03 hole
992-03-32CBK	M10 x 1,25	C	-03 hole
992-03-32CH	M10 x 1,25	CH	-03 hole
992-03-32D	M10 x 1,25	D	-03 hole - red
992-03-32DBK	M10 x 1,25	D	-03 hole - black
992-03-32DBU	M10 x 1,25	D	-03 hole - blue
992-03-32LCH	M10 x 1,25	CH	Long (25 mm under hex)
992-03-32LZ1	M10 x 1,25	Z1	Long (25 mm under hex)
992-03-32Z1	M10 x 1,25	Z1	-03 hole
992-03-35C	M10 x 1,50	C	-03 hole
992-03-35LZ1	M10 x 1,50	Z1	Long (25 mm under hex)
992-03-35Z1	M10 x 1,50	Z1	-03 hole

Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

Copper crush washers can be found in the Ancillary (13) section

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible fitting:

600 series

Material:

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

Anodised Aluminium**Colour:**

BK (Black), D (Blue), RD (Red)

Example Part No:

992-03-31DBU = Anodised Aluminium Blue

Notes:

Long bolts are for use with 5091, 5095, 5096.

'Under hex' length:

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

Copper crush washers can be found in the Ancillary section 13

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible fitting:

600 series

Material:

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

Anodised Aluminium

Colour:

BK (Black), D (Blue), RD (Red)

Example Part No:

992-03-31DBU = Anodised Aluminium Blue

Notes:

Long bolts are for use with 5091, 5095, 5096.

'Under hex' length:

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

1012



Single banjo bolt BSP

Part No.	Thread	Mat	Note
1012-03P	BSP 1/8"	P	-

993



Double banjo bolt metric

Part No.	Thread	Mat	Note
993-03-31C	M10 x 1,00	C	-
993-03-31CH	M10 x 1,00	CH	-
993-03-31D	M10 x 1,00	D	Red
993-03-31DBK	M10 x 1,00	D	Black
993-03-31DBU	M10 x 1,00	D	Blue
993-03-31LZ1	M10 x 1,00	Z1	Long (40 mm under hex)
993-03-31SC	M10 x 1,00	C	Short (28 mm under hex)
993-03-31SCBK	M10 x 1,00	C	Short black(28 mm under hex)
993-03-31SZ1	M10 x 1,00	Z1	Short (28 mm under hex)
993-03-31Z1	M10 x 1,00	Z1	-
993-03-32C	M10 x 1,25	C	-
993-03-32CBK	M10 x 1,25	C	Black
993-03-32CH	M10 x 1,25	CH	-
993-03-32D	M10 x 1,25	D	Red
993-03-32DBK	M10 x 1,25	D	Black
993-03-32DBU	M10 x 1,25	D	Blue
993-03-32Z1	M10 x 1,25	Z1	-

773



Double banjo bolt JIC

Part No.	Thread	Mat	Note
773-03C	3/8 x 24	C	-
773-03CBK	3/8 x 24	C	Black
773-03CH	3/8 x 24	CH	-
773-03D	3/8 x 24	D	Red
773-03LCH	3/8 x 24	CH	Long (40 mm under hex)
773-03LZ1	3/8 x 24	Z1	Long (40 mm under hex)
773-03Z1	3/8 x 24	Z1	-

1013



Double banjo bolt BSP

Part No.	Thread	Mat	Note
1013-03P	BSP 1/8"	P	-

Material Key:

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

BL775

Single brakelight banjo bolt UNF

Part No.	Thread	Mat	Note
BL775-03C	3/8 x 24	C	-
BL775-03SC	3/8 x 24	C	Short

BL992

Single brakelight banjo bolt metric

Part No.	Thread	Mat	Note
BL992-31C	M10 x 1,00	C	-
BL992-31SC	M10 x 1,00	C	Short (18,5 mm under hex)
BL992-32C	M10 x 1,25	C	-

BL993

Double brakelight banjo bolt metric

Part No.	Thread	Mat	Note
BL993-31C	M10 x 1,00	C	-
BL993-31SC	M10 x 1,00	C	Short (28 mm under hex)
BL993-32C	M10 x 1,25	C	-

775BN

Single banjo bolt with bleed nipple JIC

Part No.	Thread	Mat	Note
775-03BNC	3/8 x 24	C	-
775-03BNZ1	3/8 x 24	Z1	-

992BN

Single banjo bolt with bleed nipple metric

Part No.	Thread	Mat	Note
992-03-21BNC	M8 x 1,00	C	For banjo -03
992-31BNC	M10 x 1,00	C	-
992-31BNCH	M10 x 1,00	CH	-
992-31BNSC	M10 x 1,00	C	Short
992-31BNZ1	M10 x 1,00	Z1	-
992-32BNC	M10 x 1,25	C	-
992-32BNZ1	M10 x 1,25	Z1	-

Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

Copper crush washers can be found in the Ancillary section 13

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible fitting:

600 series

Material:

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

Anodised Aluminium**Colour:**

BK (Black), D (Blue), RD (Red)

Example Part No:

992-03-31DBU = Anodised Aluminium Blue

Notes:

Long bolts are for use with 5091, 5095, 5096.

'Under hex' length:

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible fitting:

600 series

Material:

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

Anodised Aluminium

Colour:

BK (Black), D (Blue), RD (Red)

Bleed nipple banjo bolts & nipples

Goodridge developed bleed nipple banjo bolts in response to concerns about the length of time required to bleed hydraulic systems. Air can now be bled from the master cylinder end of the system.

In addition, Goodridge manufacture a range of bleed nipples, including speed bleeders.

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible hose:

600 series

Material:

Stainless Steel, Chrome plated, Zinc plated, Silver plated carbon steel

773BN



Double banjo bolt with bleed nipple UNF

Part No.	Thread	Mat	Note
773-03BNC	3/8 x 24	C	-

993BN



Bleed nipple double banjo bolt metric

Part No.	Thread	Mat	Note
993-31BNC	M10 x 1,00	C	-
993-31BNSC	M10 x 1,00	C	Short (28 mm under hex)
993-31BNZ1	M10 x 1,00	Z1	-
993-32BNC	M10 x 1,25	C	-
993-32BNZ1	M10 x 1,25	Z1	-

BN506



Bleed nipple UNF

Part No.	Thread	Mat
BN506C	3/8 x 24	C
BN506P	3/8 x 24	P

BN507



Bleed nipple metric

Part No.	Thread	Mat
BN507C	M7 x 1,00	C
BN507P	M7 x 1,00	P

Material Key:

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

BN508

Bleed nipple metric

Part No.	Thread	Mat
BN508C	M8 x 1,25	C

BN510


Bleed nipple metric

Part No.	Thread	Mat
BN510C	M10 x 1,00	C
BN510P	M10 x 1,00	P

BN704

Bleed nipple UNF

Part No.	Thread	Mat
BN704C	1/4 x 28	C
BN704P	1/4 x 28	P

BNSB

Speed bleeder

Part No.	Thread	Mat
BN506PSB	3/8 x 24	P
BN506PSB-HD	3/8 x 24 Harley D	P
BN507PSB	M7 x 1,00	P
BN508PSB	M8 x 1,25	P
BN510PSB	M10 x 1,00	P
BN512PSB	M10 x 1,25	P
BN561PSB	M6 x 1,00	P
BN704PSB	1/4 x 28	P

BN-CAP

Bleed nipple cap

Part No.	Thread	Mat
BN-CAP	-	Rubber

Bleed nipple banjo bolts & nipples

Goodridge developed bleed nipple banjo bolts in response to concerns about the length of time required to bleed hydraulic systems. Air can now be bled from the master cylinder end of the system.

In addition, Goodridge manufacture a range of bleed nipples, including speed bleeders.

Fitting type:

Banjo Bolt

Applications:

Brake / Clutch lines

Compatible hose:

600 series

Material:

Stainless Steel, Chrome plated, Zinc plated, Silver plated carbon steel

Material Key:

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

1012

Single banjo bolt

Part No.	Thread	Mat	Note
1012-04P	BSP 1/4"	P	-

773

Double banjo bolt

Part No.	Thread	Mat	Note
773-44CH	7/16 x 24	CH	-

BL775

Single brakelight banjo bolt UNF

Part No.	Thread	Mat	Note
BL775-44C	7/16 x 24	C	Short

RC600

Crimp collar

Part No.	To suit	Mat
RC600-04CMP	-04 MP	C
RC600-05CMP	-05 MP	C
RC600-06CMP	-06 MP	C
RC600-08CMP	-08 MP	C

600 MP Banjo bolts (AN-04)

600MP series banjo bolts are compatible with AN-04 fittings.

Please see the adaptors section for AN-06 & AN-08 banjo bolts.

Copper crush washers can be found in the Ancillary (13) section,

Fitting type:

Banjo Bolt (AN-04)

Application:

Brake/Clutch/Fuel Inj

To suit fitting:

600 series (AN-04)

Material:

C, CH, D, Z1

600 MP Crimp collars (AN-04, AN-06 & AN-08)

Crimp collars for use with 600MP fittings AN-04, AN-06 & AN-08

Material Key:

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

3. BOLTS

Part No	Description	
SBK992-03-31SC	Single banjo bolt M10 (Brembo)	
SBK992-03-32C	Single banjo bolt M10 x 1.25	
SBK993-03-31SC	Double banjo bolt M10 (Brembo)	
SBK993-03-32C	Double banjo bolt M10 x 1.25	
SBK992-31BNSC	Single banjo bolt M10 (Brembo) with bleed nipple	

4. ANCILLARIES

Part No	Description	
SBK305-03-31C SBK305-03-32C	M10 x 1.25 M10 x 1.00	
5130-03C	3/8 JIC T-Piece	
SBKPLCC-05	P-Clip	
44516	Copper washer M10 (Pack of 10)	

MOTORCYCLE BOLT THREAD GUIDE

Manufacturer	Caliper/ Year	Bolt Thread
APRILIA	All	M10x1.0 Short
BIMOTA	All	M10x1.0 Short
BMW	All	M10x1.0 Short
CAGIVA	All	M10x1.0 Short
DUCATI	All	M10x1.0 Short
HONDA	Standard	M10x1.25
	Brembo	M10x1.0 Short
KAWASAKI	Standard	M10x1.25
	Brembo	M10x1.0 Short
MOTO GUZZI	All	M10x1.0 Short
SUZUKI	Standard Pre 94	M10x1.0
	Standard 94-02 Front	M10x1.25
	Standard 94-02 Rear	M10x1.0
	Standard 02 on	M10x1.25
TRIUMPH	Pre Hinckley	3/8x24
	Hinckley Models Standard	M10x1.25
	Hinckley Models Brembo	M10x1.0 Short
YAMAHA	All	M10x1.25

Please note: This is a guide only and some models may vary. If in doubt please contact your local Goodridge distributor for more information.

