

## 600 series JIC/UNF crimp fittings (AN-02 & AN-03)

The following 600 series JIC/UNF crimp fittings are compatible with 600 series AN-02 and AN-03 & 700K AN-03 bore sizes.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake & Clutch

### Compatible hose:

600 series (AN-02 & AN-03)  
700K series (AN-03)

### Material:

C, CBK, CH, D (blue), P, Z1

### Example part no:

S6046-03Z1 = Silver plated carbon steel.

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

### S440



#### Straight male concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S440-03Z1	-03	3/8 x 24	Z1	-

### S441



#### Straight male convex seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S441-03C	-03	3/8 x 24	C	-
S441-03Z1	-03	3/8 x 24	Z1	-

### S443



#### Straight male bulkhead convex seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S443-03BNZ1	-03	3/8 x 24	Z1	integral bleed nipple - use locknut 924-03
S443-03C	-03	3/8 x 24	C	use locknut 924-03
S443-03Z1	-03	3/8 x 24	Z1	use locknut 924-03

### S449



#### Straight male flat seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S449-03Z1	-03	3/8 x 24	Z1	-

### S6001



#### Straight female concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S6001-02-03C	-02	3/8 x 24	C	-
S6001-02C	-02	5/16 x 24	C	-
S6001-03-04C	-03	7/16 x 20	C	-
S6001-03C	-03	3/8 x 24	C	-
S6001-03CBK	-03	3/8 x 24	C	Black
S6001-03CH	-03	3/8 x 24	CH	-
S6001-03D	-03	3/8 x 24	D	-
S6001-03DBK	-03	3/8 x 24	D	Black
S6001-03Z1	-03	3/8 x 24	Z1	-

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S6046**

## 45° swept tube female concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S6046-03C	-03	3/8 x 24	C	-
S6046-03CH	-03	3/8 x 24	CH	-
S6046-03D	-03	3/8 x 24	D	-
S6046-03DBK	-03	3/8 x 24	D	Black
S6046-03Z1	-03	3/8 x 24	Z1	-

**S6045**

## 45° forged female concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S6045-02C	-02	5/16 x 24	C	-
S6045-03C	-03	3/8 x 24	C	-
S6045-03D	-03	3/8 x 24	D	-

**S6645**

## 45° forged female double swivel caliper fitting

Part No.	To suit hose	JIC/UNF	Mat	Note
S6645-03CV	-03	3/8 x 24	C	Viton o-ring
S6645-03CK	-03	3/8 x 24	C	FFKM o-ring

**S6091**

## 90° swept tube female concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S6091-02-03C	-02	3/8 x 24	C	-
S6091-03-04P	-03	7/16 x 20	P	-
S6091-03C	-03	3/8 x 24	C	-
S6091-03CH	-03	3/8 x 24	CH	-
S6091-03D	-03	3/8 x 24	D	-
S6091-03DBK	-03	3/8 x 24	D	Black
S6091-03Z1	-03	3/8 x 24	Z1	-

**S6090**

## 90° forged female concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S6090-02-03C	-02	3/8 x 24	C	-
S6090-02C	-02	5/16 x 24	C	-
S6090-03-02C	-03	5/16 x 24	C	-
S6090-03C	-03	3/8 x 24	C	-
S6090-03D	-03	3/8 x 24	D	-
S6090-03Z1	-03	3/8 x 24	Z1	-

## 600 series JIC/UNF crimp fittings (AN-02 & AN-03)

The following 600 series JIC/UNF crimp fittings are compatible with 600 series AN-02 and AN-03 & 700K AN-03 bore sizes.

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake &amp; Clutch

**Compatible hose:**600 series (AN-02 & AN-03)  
700K series (AN-03)**Material:**

C, CBK, CH, D (blue), P, Z1

**Example part no:**

S6046-03Z1 = Silver plated carbon steel.

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

## 600 series JIC/UNF crimp fittings (AN-02 & AN-03)

The following 600 series JIC/UNF crimp fittings are compatible with 600 series AN-02 and AN-03 & 700K AN-03 bore sizes.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake & Clutch

### Compatible hose:

600 series (AN-02 & AN-03)  
700K series (AN-03)

### Material:

C, CBK, CH, D (blue), P, Z1

### Example part no:

S6046-03Z1 = Silver plated carbon steel.

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

### S6690



90° forged female double swivel caliper fitting

Part No.	To suit hose	JIC/UNF	Mat	Note
S6690-03CV	-03	3/8 x 24	C	Viton o-ring
S6690-03CK	-03	3/8 x 24	C	FFKM o-ring

### S747



Fixed female convex seat w/circlip groove 17mm hex

Part No.	To suit hose	JIC/UNF	Mat	Note
S747-03Z1	-03	3/8 x 24	Z1	-

### S758



Straight female concave seat w/circlip groove

Part No.	To suit hose	JIC/UNF	Mat	Note
S758-03-03Z1	-03	3/8 x 24	Z1	19mm hex

### S748



Fixed female bulkhead concave seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S748-03Z1	-03	3/8 x 24	Z1	-
S748-03Z1DS	-03	3/8 x 24	Z1	MINI 91 ON - use locknut 2K8686

### S756



Fixed female bulkhead convex seat

Part No.	To suit hose	JIC/UNF	Mat	Note
S756-03Z1	-03	3/8 x 24	Z1	-

### S759



Straight female convex seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S759-03-03SZ1	-03	3/8 x 24	Z1	17 mm hex
S759-03-03Z1	-03	3/8 x 24	Z1	-
S759-03-44Z1	-03	7/16 x 24	Z1	-



All crimped hose assemblies must be assembled by trained Goodridge personnel. Please contact Goodridge directly or find an approved Goodridge G-Tech centre at [www.goodridge.com/distributors](http://www.goodridge.com/distributors)

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S442**

## Straight male concave seat

Part No.	To suit hose	Thread	Mat	Note
S442-31C	-03	M10 x 1,00	C	-
S442-31LZ1	-03	M10 x 1,00	Z1	Long

**S444**

## Straight male concave bulkhead

Part No.	To suit hose	Thread	Mat	Note
S444-31Z1	-03	M10 x 1,00	Z1	-

**S445**

## Straight male dual seat

Part No.	To suit hose	Thread	Mat	Note
S445-03-M121C	-03	M12 x 1,00	C	-
S445-31C	-03	M10 x 1,00	C	-
S445-31Z1	-03	M10 x 1,00	Z1	-
S445-32Z1	-03	M10 x 1,25	Z1	-

**S445-01**

## Straight male swivel metric dual seat

Part No.	To suit hose	Thread	Mat	Note
S445-0131C	-03	M10 x 1,00	C	-
S445-0131Z1	-03	M10 x 1,00	Z1	-
S445-0132C	-03	M10 x 1,25	C	-
S445-0132Z1	-03	M10 x 1,25	Z1	-

**S446**

## Straight male bulkhead

Part No.	To suit hose	Thread	Mat	Note
S446-31C	-03	M10 x 1,00	C	use locknut 318-31
S446-31Z1	-03	M10 x 1,00	Z1	use locknut 318-31
S446-03-M121LP	-03	M12 x 1,00	P	Long
S446-03-M121Z	-03	M12 x 1,00	Z1	-

**S492**

## Banjo bolt connector

Part No.	To suit hose	Thread	Mat	Note
S492-31Z1	-03	M10 x 1,00	Z1	-

**600 series Metric crimp fittings (AN-03)**

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake &amp; Clutch

**Compatible hose:**600 series (AN-03)  
700K series (AN-03)**Material:**

C, CH, P, Z1

**Example part no:**

S445-31C = Stainless Steel.

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.

## 600 series Metric crimp fittings (AN-03)

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake & Clutch

### Compatible hose:

600 series (AN-03)  
700K series (AN-03)

### Material:

C, CH, P, Z1

### Example part no:

S445-31C = Stainless Steel.

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.

### S445-20



### 20° male swivel metric dual seat

Part No.	To suit hose	Thread	Mat	Note
S445-2031C	-03	M10 x 1,00	C	-
S445-2031Z1	-03	M10 x 1,00	Z1	-

### S445-45



### 45° male swivel metric dual seat

Part No.	To suit hose	Thread	Mat	Note
S445-4531C	-03	M10 x 1,00	C	-
S445-4531Z1	-03	M10 x 1,00	Z1	-

### S445-90



### 90° male swivel metric dual seat

Part No.	To suit hose	Thread	Mat	Note
S445-9031C	-03	M10 x 1,00	C	-
S445-9031Z1	-03	M10 x 1,00	Z1	-
S445-90M121C	-03	M12 x 1,00	C	-

### S6090



### 90° male swivel caliper fitting

Part No.	To suit hose	Thread	Mat	Note
S6090M-31CSW	-03	M10 x 1,00	C	High temp o-ring
S6090M-31CSW-LT	-03	M10 x 1,00	C	EPDM o-ring

### S451



### Female concave swivel

Part No.	To suit hose	Thread	Mat	Note
S451-31C	-03	M10 x 1,00	C	-
S451-31Z1	-03	M10 x 1,00	Z1	-

### S452



### Female convex swivel

Part No.	To suit hose	Thread	Mat	Note
S452-31C	-03	M10 x 1,00	C	-
S452-31Z1	-03	M10 x 1,00	Z1	-

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S6090**

90° forged female concave seat

Part No.	To suit hose	Thread	Mat	Note
S6090-31C	-03	M10 x 1,00	C	-

**S749**

Fixed female bulkhead concave metric seat

Part No.	To suit hose	Thread	Mat	Note
S749-03-31C	-03	M10 x 1,00	C	use locknut 2K8686
S749-03-31Z1	-03	M10 x 1,00	Z1	use locknut 2K8686
S749-03-32Z1	-03	M10 x 1,25	Z1	use locknut 2K8686

**S750**

Fixed female bulkhead convex metric seat

Part No.	To suit hose	Thread	Mat	Note
S750-03-31Z1	-03	M10 x 1,00	Z1	use locknut 2K8686

**S6001-31**

Straight female concave seat

Part No.	To suit hose	Thread	Mat	Note
S6001-31CAU	-03	M10 x 1,00	C	AUDI
S6001-31CMN	-03	M10 x 1,00	C	BMW/MINI
S6001-31CVW	-03	M10 x 1,00	C	VW
S6001-31Z1VW	-03	M10 x 1,00	Z1	VW
S6001-31CVWG7	-03	M10 x 1,00	C	VW G7
S6001-31Z1AU	-03	M10 x 1,00	Z1	AUDI
S6001-31Z1LR	-03	M10 x 1,00	Z1	Land Rover
S6001-31Z1MN	-03	M10 x 1,00	Z1	BMW/MINI
S6001-31Z1PR	-03	M10 x 1,00	Z1	PEUGEOT
S6001-31Z1VWG7	-03	M10 x 1,00	Z1	VWG7

**600 series Metric crimp fittings (AN-03)**

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake &amp; Clutch

**Compatible hose:**600 series (AN-03)  
700K series (AN-03)**Material:**

C, CH, P, Z1

**Example part no:**

S445-31C = Stainless Steel.

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.



All crimped hose assemblies must be assembled by trained Goodridge personnel. Please contact Goodridge directly or find an approved Goodridge G-Tech centre at [www.goodridge.com/distributors](http://www.goodridge.com/distributors)

## 600 series Metric crimp fittings (AN-03)

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake & Clutch

### Compatible hose:

600 series (AN-03)  
700K series (AN-03)

### Material:

C, CH, P, Z1

### Example part no:

S445-31C = Stainless Steel.

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.

### S754



Fixed female bulkhead convex metric seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S754-03-31C	-03	M10 x 1,00	C	17 mm hex - Subaru
S754-03-31Z1	-03	M10 x 1,00	Z1	17 mm hex - Subaru

### S755



Straight female convex metric seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S755-03-31Z1	-03	M10 x 1,00	Z1	Toyota

### S756



Straight female concave seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S756-03-M121C	-03	M12 x 1,00	C	-

### S757



Straight female convex metric seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S757-03-31C	-03	M10 x 1,00	C	17 mm hex - Subaru
S757-03-31Z1	-03	M10 x 1,00	Z1	17 mm rounded edges hex
S757-03-31Z1DS	-03	M10 x 1,00	Z1	17 mm hex, deep seat
S757-03-31Z1E	-03	M10 x 1,00	Z1	17 mm hex, extended

### S758



Straight female metric concave seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S758-03-31C	-03	M10 x 1,00	C	-
S758-03-31SC	-03	M10 x 1,00	C	17 mm hex
S758-03-31SFC	-03	M10 x 1,00	C	17 mm hex, flat face
S758-03-31SFZ1	-03	M10 x 1,00	Z1	17 mm hex, flat face
S758-03-31SZ1	-03	M10 x 1,00	Z1	17 mm hex
S758-03-31Z1	-03	M10 x 1,00	Z1	-

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S759**

## Straight female convex seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S759-03-03SZ1	-03	3/8 x 24	Z1	17 mm hex
S759-03-03Z1	-03	3/8 x 24	Z1	-
S759-03-31C	-03	M10 x 1,00	C	-
S759-03-31FBZ1	-03	M10 x 1,00	Z1	Flat face
S759-03-31FZ1	-03	M10 x 1,00	Z1	Flat hex
S759-03-31SC	-03	M10 x 1,00	C	17 mm hex
S759-03-31SZ1	-03	M10 x 1,00	Z1	17 mm hex
S759-03-31Z1	-03	M10 x 1,00	Z1	-
S759-03-31Z1BKT	-03	M10 x 1,00	Z1	With bracket
S759-03-32Z1	-03	M10 x 1,25	Z1	-
S759-03-35SC	-03	M10 x 1,50	C	17mm hex
S759-03-35SZ1	-03	M10 x 1,50	Z1	17mm hex
S759-03-44Z1	-03	7/16 x 24	Z1	-
S759-03-M121Z1	-03	M12 x 1,00	Z1	-
S759-9131C	-03	M10 x 1,00	C	-
S759-9131Z1	-03	M10 x 1,00	Z1	-
S760-03-31Z1	-03	M10 x 1,00	Z1	Toyota

**S762**

## Straight female (rounded edge) convex seat w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S762-03-31SZ1	-03	M10 x 1,00	Z1	17 mm hex - Mazda
S762-03-31Z1	-03	M10 x 1,00	Z1	-

**S767**

## Straight female convex w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S767-03-31C	-03	M10 x 1,00	C	-
S767-03-31Z1	-03	M10 x 1,00	Z1	-

**S768**

## Straight female concave w/circlip groove

Part No.	To suit hose	Thread	Mat	Note
S768-03-31SZ1	-03	M10 x 1,00	Z1	17mm hex

**600 series Metric Crimp fittings (AN-03)**

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake &amp; Clutch

**Compatible hose:**

600 series (AN-03)

700K series (AN-03)

**Material:**

C, CH, P, Z1

**Example part no:**

S445-31C = Stainless Steel.

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.



## 600 series Metric crimp fittings (AN-03)

The following Goodridge 600 series metric crimp fittings are compatible with 600 & 700K series AN-03 bore size.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake & Clutch

### Compatible hose:

600 series (AN-03)

700K series (AN-03)

### Material:

C, CH, P, Z1

### Example part no:

S445-31C = Stainless Steel.

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

Metric dual seat fittings will seal with either concave or convex metric fittings.

### S770



Straight male convex seat

Part No.	To suit hose	Thread	Mat	Note
S770-03Z1	-03	M10 x 1,00	Z1	Ford

### S771



Straight male convex seat w/locating flat

Part No.	To suit hose	Thread	Mat	Note
S771-03Z1	-03	M10 x 1,00	Z1	Ford

### S772



Straight male concave seat

Part No.	To suit hose	Thread	Mat	Note
S772-03Z1	-03	M10 x 1,00	Z1	Ford

### S446EX



Straight male bulkhead convex seat

Part No.	To suit hose	Thread	Mat	Note
S446-31EXC	-03	M10 x 1,00	C	VW Golf/BMW
S446-31EXZ1	-03	M10 x 1,00	Z1	VW Golf/BMW

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S323**

## Straight male concave seat

Part No.	To suit hose	Thread	Mat	Note
S323-03Z1	-03	1/8" BSP	Z1	-

**S321**

## Straight female BSP

Part No.	To suit hose	Thread	Mat	Note
S321-03SMZ1	-03	1/8" BSP	Z1	Flat seat
S321-03Z1	-03	1/8" BSP	Z1	Convex seat

**S332**

## 90° swept tube female BSP

Part No.	To suit hose	Thread	Mat	Note
S332-03Z1	-03	1/8" BSP	Z1	-

**S816**

## Straight male NPT

Part No.	To suit hose	Thread	Mat	Note
S816-03B	-03	NPT 1/8"	B	-

**600 series BSP/NPT crimp fittings (AN-03)**

The following 600 series BSP/NPT crimp fittings are compatible with 600 & 700K series AN-03 bore size.

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake &amp; Clutch

**Compatible hose:**

600 series (AN-03)

700K series (AN-03)

**Material:**

B, C, P, Z1

**Example part no:**

S323-03Z1 = Silver Plated Carbon Steel

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.



All crimped hose assemblies must be assembled by trained Goodridge personnel. Please contact Goodridge directly or find an approved Goodridge G-Tech centre at [www.goodridge.com/distributors](http://www.goodridge.com/distributors)

## 600 series crimp T fittings (AN-03)

The following Goodridge 600 series T piece crimp fittings are compatible with 600 & 700K series AN-03 bore sizes.

TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.

### Fitting type:

Swage/Crimp

### Applications:

Brake, Clutch & Hydraulic

### Compatible hose:

600 series (AN-03)

700 series (AN-03)

### Material:

C, Z1

### Example part no:

S5135-03Z1 = Silver Plated

Carbon Steel

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

### S5132



Tee with locating lug

Part No.	Spur	On the run	Mat	Note
S5132-03-03C	-03	3/8 x 24	C	-

### S5135



3 way tee

Part No.	Spur	On the run	Mat	Note
S5135-03C	-03	-03	C	-
S5135-03SC	-03	-03	C	Slimline
S5135-03Z1	-03	-03	Z1	-

### S5136



3 way tee with locating lug

Part No.	Spur	On the run	Mat	Note
S5136-03C	-03	-03	C	-
S5136-03SC	-03	-03	C	Slimline - lug 6mm thick
S5136-03Z1	-03	-03	Z1	Lug 16mm thick

### S5139



90° compact elbow

Part No.	Spur	On the run	Mat	Note
S5139-03SC	-03	-03	C	-

### S5236



90° block

Part No.	Spur	On the run	Mat	Note
S5236-03Z1	-03	-03	Z1	-

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S5091****Banjo**

Part No.	To suit hose	Hole size	Mat	Note
S5091-02-03C	-02	3/8" (10 mm)	C	-
S5091-03-04Z1	-03	7/16" (11,2 mm)	Z1	-
S5091-03-M12C	-03	12 mm	C	-
S5091-03C	-03	3/8" (10 mm)	C	-
S5091-03CH	-03	3/8" (10 mm)	CH	-
S5091-03SD	-03	3/8" (10 mm)	D	8 mm thick
S5091-03Z1	-03	3/8" (10 mm)	Z1	-
S5091-03CBK	-03	3/8" (10 mm)	C	Black

**S5092****Straight banjo extended neck**

Part No.	To suit hose	Hole size	Mat	Note
S5092-03-02C	-03	5/16"	C	-
S5092-03-04C	-03	7/16" (11,2 mm)	C	-
S5092-03-04CH	-03	7/16" (11,2 mm)	CH	-
S5092-03-04Z1	-03	7/16" (11,2 mm)	Z1	-
S5092-03-M12C	-03	12 mm	C	-
S5092-03-M12CH	-03	12 mm	CH	-
S5092-03C	-03	3/8" (10 mm)	C	-
S5092-03CH	-03	3/8" (10 mm)	CH	-
S5092-03D	-03	3/8" (10 mm)	D	-
S5092-03DBK	-03	3/8" (10 mm)	D	Black
S5092-03DRD	-03	3/8" (10 mm)	D	Red
S5092-03Z1	-03	3/8" (10 mm)	Z1	-
S5092-03CBK	-03	3/8" (10 mm)	C	Black

**S5093L****20°/20° banjo compound left**

Part No.	To suit hose	Hole size	Mat	Note
S5093L-03C	-03	3/8" (10 mm)	C	-
S5093L-03CBK	-03	3/8" (10 mm)	C	Black
S5093L-03Z1	-03	3/8" (10 mm)	Z1	-

**S5093R****20°/20° Banjo - compound right**

Part No.	To suit hose	Hole size	Mat	Note
S5093R-03C	-03	3/8" (10 mm)	C	-
S5093R-03CBK	-03	3/8" (10 mm)	C	Black
S5093R-03Z1	-03	3/8" (10 mm)	Z1	-

**600 series  
crimp banjos  
(AN-02 & AN-03)**

The following Goodridge 600 series banjo crimp fittings are compatible with 600 & 700K series AN-02 & AN-03 bore sizes. (700K AN-03 only)

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake, Clutch &amp; Hydraulic

**Compatible hose:**

600 series (AN-02 &amp; AN-03)

700 series (AN-03)

**Material:**

C, CBK, CH, D, P, Z1

**Anodised Aluminium****Colour:**

BK (Black), D (Blue), RD (Red)

**Example part no:**

S5092-03DRD = Anodised

Aluminium Red

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

## 600 series crimp banjos (AN-02 & AN-03)

The following Goodridge 600 series banjo crimp fittings are compatible with 600 & 700K series AN-02 & AN-03 bore sizes. (700K AN-03 only)

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

### Fitting type:

Swage/Crimp

### Applications:

Brake, Clutch & Hydraulic

### Compatible hose:

600 series (AN-02 & AN-03)  
700 series (AN-03)

### Material:

C, CBK, CH, D, P, Z1

### Anodised Aluminium

#### Colour:

BK (Black), D (Blue), RD (Red)

### Example part no:

S5092-03DRD = Anodised Aluminium Red

### Notes:

Suitable for Motorsport and road use.

Please order crimp collars separately.

### S5093



### 20° banjo extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5093-02-03C	-02	3/8" (10 mm)	C	-
S5093-03-02C	-03	5/16"	C	-
S5093-03-04C	-03	7/16" (11,2 mm)	C	-
S5093-03-04Z1	-03	7/16" (11,2 mm)	Z1	-
S5093-03-04CH	-03	7/16" (11,2 mm)	CH	-
S5093-03-M12C	-03	12 mm	C	-
S5093-03-M12CH	-03	12 mm	CH	-
S5093-03C	-03	3/8" (10 mm)	C	-
S5093-03CH	-03	3/8" (10 mm)	CH	-
S5093-03D	-03	3/8" (10 mm)	D	-
S5093-03DBK	-03	3/8" (10 mm)	D	Black
S5093-03DRD	-03	3/8" (10 mm)	D	Red
S5093-03Z1	-03	3/8" (10 mm)	Z1	-
S5093-03CBK	-03	3/8" (10 mm)	C	Black

### S5097



### 20° side banjo extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5097-03-02C	-03	5/16"	C	-
S5097-03C	-03	3/8" (10 mm)	C	-
S5097-03CH	-03	3/8" (10 mm)	CH	-
S5097-03D	-03	3/8" (10 mm)	D	-
S5097-03DBK	-03	3/8" (10 mm)	D	Black
S5097-03DRD	-03	3/8" (10 mm)	D	Red
S5097-03Z1	-03	3/8" (10 mm)	Z1	-
S5097-03CBK	-03	3/8" (10 mm)	C	Black

### S5094



### 45° banjo extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5094-03-02C	-03	5/16"	C	-
S5094-03C	-03	3/8" (10 mm)	C	-
S5094-03CH	-03	3/8" (10 mm)	CH	-
S5094-03D	-03	3/8" (10 mm)	D	-
S5094-03DBK	-03	3/8" (10 mm)	D	Black
S5094-03DRD	-03	3/8" (10 mm)	D	Red
S5094-03Z1	-03	3/8" (10 mm)	Z1	-
S5094-03CBK	-03	3/8" (10 mm)	C	Black

### S5094L



### 45°/45° banjo compound left

Part No.	To suit hose	Hole size	Mat	Note
S5094L-03C	-03	3/8" (10 mm)	C	-
S5094L-03Z1	-03	3/8" (10 mm)	Z1	-
S5094L-03CBK	-03	3/8" (10 mm)	C	Black

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**S5094R**

## 45°/45° banjo compound right

Part No.	To suit hose	Hole size	Mat	Note
S5094R-03C	-03	3/8" (10 mm)	C	-
S5094R-03CBK	-03	3/8" (10 mm)	C	Black
S5094R-03Z1	-03	3/8" (10 mm)	Z1	-

**S5070**

## 70° banjo extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5070-03C	-03	3/8" (10 mm)	C	-
S5070-03CBK	-03	3/8" (10 mm)	C	Black
S5070-03CH	-03	3/8" (10 mm)	CH	-
S5070-03Z1	-03	3/8" (10 mm)	Z1	-

**S5099**

## 90° side banjo extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5099-03-02C	-03	5/16"	C	-
S5099-03-04CH	-03	7/16"	CH	-
S5099-03C	-03	3/8" (10 mm)	C	-
S5099-03CH	-03	3/8" (10 mm)	CH	-
S5099-03D	-03	3/8" (10 mm)	D	-
S5099-03DBK	-03	3/8" (10 mm)	D	Black
S5099-03DRD	-03	3/8" (10 mm)	D	Red
S5099-03Z1	-03	3/8" (10 mm)	Z1	-
S5099-03CBK	-03	3/8" (10 mm)	Z1	Black

**S5099S**

## 90° banjo extended neck side bend

Part No.	To suit hose	Hole size	Mat	Note
S5099S-03C	-03	3/8" (10 mm)	C	-
S5099S-03CBK	-03	3/8" (10 mm)	C	Black
S5099S-03M6C	-03	6 mm	C	-
S5099S-03Z1	-03	3/8" (10 mm)	Z1	-
S5099SL-03C	-03	3/8" (10 mm)	C	45° L/hand thread
S5099SL-03CBK	-03	3/8" (10 mm)	C	45° L/hand thread - black
S5099SL2-03C	-03	3/8" (10 mm)	C	20° L/hand thread
S5099SL2-03CBK	-03	3/8" (10 mm)	C	20° L/hand thread - black
S5099SR-03C	-03	3/8" (10 mm)	C	45° R/hand thread
S5099SR-03CBK	-03	3/8" (10 mm)	C	45° R/hand thread - black

## 600 series crimp banjos (AN-02 & AN-03)

The following Goodridge 600 series banjo crimp fittings are compatible with 600 & 700K series AN-02 & AN-03 bore sizes. (700K AN-03 only)

**TUV and DOT certification has been achieved in all available 600 series crimp fitting materials.**

**Fitting type:**

Swage/Crimp

**Applications:**

Brake, Clutch &amp; Hydraulic

**Compatible hose:**

600 series (AN-02 &amp; AN-03)

700 series (AN-03)

**Material:**

C, CBK, CH, D, P, Z1

**Anodised Aluminium****Colour:**

BK (Black), D (Blue), RD (Red)

**Example part no:**

S5092-03DRD = Anodised Aluminium Red

**Notes:**

Suitable for Motorsport and road use.

Please order crimp collars separately.

### 600 series crimp banjos (AN-02 & AN-03)

The following Goodridge 600 series banjo crimp fittings are compatible with 600 & 700K series AN-02 & AN-03 bore sizes. (700K AN-03 only)

**Fitting type:**

*Crimp*

**Applications:**

*Brake, Clutch & Hydraulic*

**Compatible hose:**

*600 series (AN-02 & AN-03)  
700 series (AN-03)*

**Material:**

*C, CBK, CH, D, P, Z1*

**Anodised Aluminium**

**Colour:**

*BK (Black), D (Blue), RD (Red)*

**S5095**



Banjo double tail

Part No.	To suit hose	Hole size	Mat	Note
S5095-03C	-03	3/8" (10 mm)	C	-
S5095-03Z1	-03	3/8" (10 mm)	Z1	-
S5095-03CBK	-03	3/8" (10 mm)	C	Black

**S5098**



Banjo twin tail extended neck

Part No.	To suit hose	Hole size	Mat	Note
S5098-03P	-03	3/8" (10 mm)	P	-

### 600 Plug-in fittings (Made to order)

**Fitting type:**

*Crimp*

**Fluid applications:**

*Brake, Clutch & Hydraulic*

**Compatible hose:**

*600 series (AN-02 & AN-03)  
700K series (AN-03)*



Part No.	Mat	Fitting Angle	Tail size	Plug OD (mm)
SGP601	C, D	Straight	-02	8.7
SGP646	C, D	45°	-03	8.8
SGP691	C, D	90°		9.6

**EXAMPLES:**

Part No.	Tail size	Plug OD (mm)
SGP601	-03	8.8
Part No.: <b>SGP601-03-8.8</b>		
SGP646	-02	9.6
Part No.: <b>SGP646-02-9.6</b>		

*Other Plug-In OD's are available, please contact a Goodridge representative for more information. Collars must be purchased separately.*

### Crimp collars

Crimp collars for use with AN-02 & AN03 fittings

**RC600**



Crimp collar

Part No.	To suit	Mat
RC600-02CMP	-02	C
RC600-03CTUV	-03	C
RC600-03TUV	-03	B

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**BTL -300/310**

Line locator with 17mm hex, one rounded corner

Part No.	Application	To suit	Mat	Note
BTL-300Z1	Mazda, Mitsubishi	600-03	Z1	17 mm hex with one rounded corner
BTL-310Z1	Mazda, Mitsubishi	600-03 covered	Z1	-

**BTL -322**

Line locator

Part No.	Application	To suit	Mat	Note
BTL-322Z1	VW Golf MK5	600-03 covered	Z1	-

**BTL -303/313**

Single locating tab

Part No.	Application	To suit	Mat	Note
BTL-303Z1	Toyota	600-03	Z1	-
BTL-313Z1	Toyota	600-03 covered	Z1	-

**BTL -304/314**

Line locator 19mm hex with silicone insert

Part No.	Application	To suit	Mat	Note
BTL-304Z1	Nissan, GM	600-03	Z1	-
BTL-314Z1	Nissan, GM	600-03 covered	Z1	-

**BTL -305/315**

Line locator 19mm hex with silicone insert

Part No.	Application	To suit	Mat	Note
BTL-305Z1	Mazda	600-03	Z1	-
BTL-315Z1	Mazda	600-03 covered	Z1	-

**BTL -306/316**

Line locator 19mm hex with silicone insert

Part No.	Application	To suit	Mat	Note
BTL-306Z1	Subaru	600-03	Z1	-
BTL-316Z1	Subaru	600-03 covered	Z1	-

**AN-03 line locators**

Brake lines are a safety critical item and therefore, if being retro-fitted to a vehicle, must follow the correct routing; secured as per the original equipment manufacturers recommendations.

The following line locating brackets are OEM specific, to be used to locate 600 series AN-03 brake lines.

**Please note: Some line locators require crimping - specialist knowledge and equipment is required to assemble crimp fittings.**

**Applications:**

Brake lines

**Compatible hose:**

600 series (AN-03)

**Notes:**

Suitable for road use.

**Material:**

C, NY (Nylon), P, Z1



## AN-03 line locators

Brake lines are a safety critical item and therefore, if being retro-fitted to a vehicle, must follow the correct routing; secured as per the original equipment manufacturers recommendations.

The following line locating brackets are OEM specific, to be used to locate 600 series AN-03 brake lines.

**Please note: Some line locators require crimping - specialist knowledge and equipment is required to assemble crimp fittings.**

### BTL -307/317



Line locator 17 mm hex with opposite rounded corners

Part No.	Application	To suit	Mat	Note
BTL-307Z1	Toyota	600-03	Z1	-
BTL-317Z1	Toyota	600-03 covered	Z1	-

### BTL -308/318



Line locator 17mm hex with 10mm clip groove

Part No.	Application	To suit	Mat	Note
BTL-308Z1	Subaru	600-03	Z1	-
BTL-318Z1	Subaru	600-03 covered	Z1	-

### BLT -301/311



Single locating tab

Part No.	Application	To suit	Mat	Note
BLT-301NY	Honda, Acura, Rover, MG	600-03	Nylon	-
BLT-311NY	Honda, Acura, Rover, MG	600-03 covered	Nylon	-

### BLT -302/312



Double locating tab

Part No.	Application	To suit	Mat	Note
BLT-302NY	Honda, Acura, Rover, MG	600-03	Nylon	-
BLT-312NY	Honda, Acura, Rover, MG	600-03 covered	Nylon	-

#### Applications:

Brake lines

#### Compatible hose:

600 series (AN-03)

#### Notes:

Suitable for road use.

#### Material:

C, NY (Nylon), P, Z1



Please see assembly instructions in the 'Assembly instructions and Technical Information' section at the back of the catalogue.

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

775



## Single banjo bolt JIC

Part No.	Thread	Mat	Note
775-02C	5/16 x 24	C	-
775-03-02Z1	5/16 x 24	Z1	For banjo -03
775-03C	3/8 x 24	C	-
775-03CBK	3/8 x 24	C	Black
775-03CH	3/8 x 24	CH	-
775-03D	3/8 x 24	D	Red
775-03DBK	3/8 x 24	D	Black
775-03LC	3/8 x 24	C	Long (25 mm under hex)
775-03LCH	3/8 x 24	CH	Long (25 mm under hex)
775-03LZ1	3/8 x 24	Z1	Long (25 mm under hex)
775-03Z1	3/8 x 24	Z1	-

992



## Single banjo bolt metric

Part No.	Thread	Mat	Note
992-02-21C	M8 x 1,00	C	-02 hole
992-02-22C	M8 x 1,25	C	-02 hole
992-03-21C	M8 x 1,00	C	-03 hole
992-03-22C	M8 x 1,25	C	-03 hole
992-03-31C	M10 x 1,00	C	-03 hole
992-03-31CH	M10 x 1,00	CH	-03 hole
992-03-31D	M10 x 1,00	D	-03 hole - red
992-03-31DBK	M10 x 1,00	D	-03 hole - black
992-03-31DBU	M10 x 1,00	D	-03 hole - blue
992-03-31LC	M10 x 1,00	C	Long (25 mm under hex)
992-03-31LCH	M10 x 1,00	CH	Long (25 mm under hex)
992-03-31LZ1	M10 x 1,00	Z1	Long (25 mm under hex)
992-03-31SC	M10 x 1,00	C	Short (18 mm under hex)
992-03-31SCBK	M10 x 1,00	C	Short (18 mm under hex) - black
992-03-31SD	M10 x 1,00	D	Short (18 mm under hex) - red
992-03-31SDBK	M10 x 1,00	D	Short (18 mm under hex) - black
992-03-31SDBU	M10 x 1,00	D	Short (18 mm under hex) - blue
992-03-31SZ1	M10 x 1,00	Z1	Short (18 mm under hex)
992-03-31Z1	M10 x 1,00	Z1	-03 hole
992-03-32C	M10 x 1,25	C	-03 hole
992-03-32CBK	M10 x 1,25	C	-03 hole
992-03-32CH	M10 x 1,25	CH	-03 hole
992-03-32D	M10 x 1,25	D	-03 hole - red
992-03-32DBK	M10 x 1,25	D	-03 hole - black
992-03-32DBU	M10 x 1,25	D	-03 hole - blue
992-03-32LCH	M10 x 1,25	CH	Long (25 mm under hex)
992-03-32LZ1	M10 x 1,25	Z1	Long (25 mm under hex)
992-03-32Z1	M10 x 1,25	Z1	-03 hole
992-03-35C	M10 x 1,50	C	-03 hole
992-03-35LZ1	M10 x 1,50	Z1	Long (25 mm under hex)
992-03-35Z1	M10 x 1,50	Z1	-03 hole

**Banjo bolts**

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

**Copper crush washers can be found in the Ancillary (13) section**

**Fitting type:**

Banjo Bolt

**Applications:**

Brake / Clutch lines

**Compatible fitting:**

600 series

**Material:**

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

**Anodised Aluminium****Colour:**

BK (Black), D (Blue), RD (Red)

**Example Part No:**

992-03-31DBU = Anodised Aluminium Blue

**Notes:**

Long bolts are for use with 5091, 5095, 5096.

**'Under hex' length:**

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

## Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

**Copper crush washers can be found in the Ancillary section 13**

### Fitting type:

Banjo Bolt

### Applications:

Brake / Clutch lines

### Compatible fitting:

600 series

### Material:

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

### Anodised Aluminium

#### Colour:

BK (Black), D (Blue), RD (Red)

### Example Part No:

992-03-31DBU = Anodised Aluminium Blue

### Notes:

Long bolts are for use with 5091, 5095, 5096.

### 'Under hex' length:

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

### 1012



#### Single banjo bolt BSP

Part No.	Thread	Mat	Note
1012-03P	BSP 1/8"	P	-

### 993



#### Double banjo bolt metric

Part No.	Thread	Mat	Note
993-03-31C	M10 x 1,00	C	-
993-03-31CH	M10 x 1,00	CH	-
993-03-31D	M10 x 1,00	D	Red
993-03-31DBK	M10 x 1,00	D	Black
993-03-31DBU	M10 x 1,00	D	Blue
993-03-31LZ1	M10 x 1,00	Z1	Long (40 mm under hex)
993-03-31SC	M10 x 1,00	C	Short (28 mm under hex)
993-03-31SCBK	M10 x 1,00	C	Short black(28 mm under hex)
993-03-31SZ1	M10 x 1,00	Z1	Short (28 mm under hex)
993-03-31Z1	M10 x 1,00	Z1	-
993-03-32C	M10 x 1,25	C	-
993-03-32CBK	M10 x 1,25	C	Black
993-03-32CH	M10 x 1,25	CH	-
993-03-32D	M10 x 1,25	D	Red
993-03-32DBK	M10 x 1,25	D	Black
993-03-32DBU	M10 x 1,25	D	Blue
993-03-32Z1	M10 x 1,25	Z1	-

### 773



#### Double banjo bolt JIC

Part No.	Thread	Mat	Note
773-03C	3/8 x 24	C	-
773-03CBK	3/8 x 24	C	Black
773-03CH	3/8 x 24	CH	-
773-03D	3/8 x 24	D	Red
773-03LCH	3/8 x 24	CH	Long (40 mm under hex)
773-03LZ1	3/8 x 24	Z1	Long (40 mm under hex)
773-03Z1	3/8 x 24	Z1	-

### 1013



#### Double banjo bolt BSP

Part No.	Thread	Mat	Note
1013-03P	BSP 1/8"	P	-

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**BL775**

## Single brakelight banjo bolt UNF

Part No.	Thread	Mat	Note
BL775-03C	3/8 x 24	C	-
BL775-03SC	3/8 x 24	C	Short

**BL992**

## Single brakelight banjo bolt metric

Part No.	Thread	Mat	Note
BL992-31C	M10 x 1,00	C	-
BL992-31SC	M10 x 1,00	C	Short (18,5 mm under hex)
BL992-32C	M10 x 1,25	C	-

**BL993**

## Double brakelight banjo bolt metric

Part No.	Thread	Mat	Note
BL993-31C	M10 x 1,00	C	-
BL993-31SC	M10 x 1,00	C	Short (28 mm under hex)
BL993-32C	M10 x 1,25	C	-

**775BN**

## Single banjo bolt with bleed nipple JIC

Part No.	Thread	Mat	Note
775-03BNC	3/8 x 24	C	-
775-03BNZ1	3/8 x 24	Z1	-

**992BN**

## Single banjo bolt with bleed nipple metric

Part No.	Thread	Mat	Note
992-03-21BNC	M8 x 1,00	C	For banjo -03
992-31BNC	M10 x 1,00	C	-
992-31BNCH	M10 x 1,00	CH	-
992-31BNSC	M10 x 1,00	C	Short
992-31BNZ1	M10 x 1,00	Z1	-
992-32BNC	M10 x 1,25	C	-
992-32BNZ1	M10 x 1,25	Z1	-

**Banjo bolts**

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

**Copper crush washers can be found in the Ancillary section 13**

**Fitting type:**

Banjo Bolt

**Applications:**

Brake / Clutch lines

**Compatible fitting:**

600 series

**Material:**

Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel

**Anodised Aluminium****Colour:**

BK (Black), D (Blue), RD (Red)

**Example Part No:**

992-03-31DBU = Anodised Aluminium Blue

**Notes:**

Long bolts are for use with 5091, 5095, 5096.

**'Under hex' length:**

Short: 18mm (S)

Single: 20mm

Single Long: 25mm (L)

Double: 30mm

Double Long: 40mm (L)

## Banjo bolts

Available in UNF, Metric and BSP type thread fittings; single and double variations.

In addition, Goodridge manufactures a range of brake light switch banjo bolts, available in a range of materials, colours, lengths and threads.

### Fitting type:

*Banjo Bolt*

### Applications:

*Brake / Clutch lines*

### Compatible fitting:

*600 series*

### Material:

*Stainless Steel, Chrome plated, Aluminium, Zinc plated, Silver plated carbon steel*

### Anodised Aluminium

#### Colour:

*BK (Black), D (Blue), RD (Red)*

## Bleed nipple banjo bolts & nipples

Goodridge developed bleed nipple banjo bolts in response to concerns about the length of time required to bleed hydraulic systems. Air can now be bled from the master cylinder end of the system.

In addition, Goodridge manufacture a range of bleed nipples, including speed bleeders.

### Fitting type:

*Banjo Bolt*

### Applications:

*Brake / Clutch lines*

### Compatible hose:

*600 series*

### Material:

*Stainless Steel, Chrome plated, Zinc plated, Silver plated carbon steel*

### 773BN



#### Double banjo bolt with bleed nipple UNF

Part No.	Thread	Mat	Note
773-03BNC	3/8 x 24	C	-

### 993BN



#### Bleed nipple double banjo bolt metric

Part No.	Thread	Mat	Note
993-31BNC	M10 x 1,00	C	-
993-31BNSC	M10 x 1,00	C	Short (28 mm under hex)
993-31BNZ1	M10 x 1,00	Z1	-
993-32BNC	M10 x 1,25	C	-
993-32BNZ1	M10 x 1,25	Z1	-

### BN506



#### Bleed nipple UNF

Part No.	Thread	Mat
BN506C	3/8 x 24	C
BN506P	3/8 x 24	P

### BN507



#### Bleed nipple metric

Part No.	Thread	Mat
BN507C	M7 x 1,00	C
BN507P	M7 x 1,00	P

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**BN508**

## Bleed nipple metric

Part No.	Thread	Mat
BN508C	M8 x 1,25	C

**BN510**


## Bleed nipple metric

Part No.	Thread	Mat
BN510C	M10 x 1,00	C
BN510P	M10 x 1,00	P

**BN704**

## Bleed nipple UNF

Part No.	Thread	Mat
BN704C	1/4 x 28	C
BN704P	1/4 x 28	P

**BNSB**

## Speed bleeder

Part No.	Thread	Mat
BN506PSB	3/8 x 24	P
BN506PSB-HD	3/8 x 24 Harley D	P
BN507PSB	M7 x 1,00	P
BN508PSB	M8 x 1,25	P
BN510PSB	M10 x 1,00	P
BN512PSB	M10 x 1,25	P
BN561PSB	M6 x 1,00	P
BN704PSB	1/4 x 28	P

**BN-CAP**

## Bleed nipple cap

Part No.	Thread	Mat
BN-CAP	-	Rubber

**Bleed nipple banjo bolts & nipples**

Goodridge developed bleed nipple banjo bolts in response to concerns about the length of time required to bleed hydraulic systems. Air can now be bled from the master cylinder end of the system.

In addition, Goodridge manufacture a range of bleed nipples, including speed bleeders.

**Fitting type:**

Banjo Bolt

**Applications:**

Brake / Clutch lines

**Compatible hose:**

600 series

**Material:**

Stainless Steel, Chrome plated, Zinc plated, Silver plated carbon steel

## Special application block adaptors

Goodridge manufacture a range of adaptors suitable for brake systems.

Block adaptors can be bought separately to ensure the system is routed correctly.

### Fitting type:

Block adaptor

### Applications:

Brake systems

### Compatible hose:

600 series

### Material:

Brass, Stainless Steel, Zinc plated, Silver plated carbon steel

### G105



### Banjo adaptor block 90°

Part No.	Note	Thread	Hole Size	Mat
G105-31Z1	Mustang/ Cherokee	M10 x 1,00 inv.	-	Z1

### G105A



### Banjo adaptor block 90° with 7/16 locating hole

Part No.	Note	Thread	Hole Size	Mat
G105-31A	Mustang/ Cherokee	M10 x 1,00 inv.	-	B
G105A	Mustang/ Cherokee	3/8 x 24 inv.	-	B

### G106A



### Angled banjo adaptor block

Part No.	Note	Thread	Hole Size	Mat
G106A	Ford	-	3/8	B

### G114



### Mazda MX5 rear brake adaptor block

Part No.	Note	Thread	Hole Size	Mat
G114	Mazda	M10 x 1,00 female -03 tail	-	P

### G115



### Rear tee block GM

Part No.	Note	Thread	Hole Size	Mat
G115	Chevrolet	M10 x 1,00 femelle - 3/8 x 24 male	-	B

### G117



### Adaptor block metric 90° Honda

Part No.	Note	Thread	Hole Size	Mat
G117Z1	Honda	M10 x 1,00	M8 x 1,25	Z1

### SP-202



### 90° fitting motorcycle convex

Part No.	Note	Thread	Hole Size	Mat
SP-202	Honda/ BMW/CBS	M10 x 1,00	-	C

**Material Key:**

B: Brass, C: Stainless Steel, CH: Chrome Plated, D: Aluminium, P: Zinc Plated Carbon Steel, Z1: Silver Plated Carbon Steel

**SP-203**



Tee fitting motorcycle convex

Part No.	Note	Thread	Hole Size	Mat
SP-203	Honda	M10 x 1,00	-	C

**SP-225**



Tee fitting motorcycle concave

Part No.	Note	Thread	Hole Size	Mat
SP-225	BMW	-03 tail con M10 x 1,00	-	C


**SP-241**



Straight fitting motorcycle convex

Part No.	Note	Thread	Hole Size	Mat
SP-241	Motorcycle ABS	M10 x 1,00	M6 (no thread)	C
SP-241T	Motorcycle ABS	M10 x 1,00	M6 x 1,00	C


**GBPSM2**



Brake pressure manifold

Part No.	Note	Thread A	Thread B	Mat
GBPSM2	To suit Bosch M10 Sensors	M10 x 1,00	M10 x 1,00	C


**GBPSM3**



Brake pressure manifold

Part No.	Note	Thread A	Thread B	Mat
GBPSM3	To suit -03 JIC Sensors	M10 x 1,00	3/8 x 24 UNF	C

**GR**



Brake hose grommet

Part No.	Note	Mat
SPHA0280-002	To suit 600-03	Rubber
GR1	To suit 600-03	Rubber
GR2	To suit 600-03	Rubber
GR3	To suit 600-03	Rubber

Part No.	A mm	B mm	OD mm	ID mm	C mm
SPHA0280-002	2.8	16.6	25	7.1	17.8
GR1	2.5	10	20	7.1	14
GR2	2.54	9.25	24	6.35	12.7
GR3	15	21.5	15.7	8	14

**Special application  
block adaptors**

Goodridge manufacture a range of adaptors suitable for brake systems.

Block adaptors can be bought separately to ensure the system is routed correctly.

**Fitting type:**  
Block adaptor

**Applications:**  
Brake systems

**Compatible hose:**  
600 series

**Material:**  
Brass, Stainless Steel, Zinc plated,  
Silver plated carbon steel



**Fluid applications:**

Fuel, Oil, Water, Dampers

**Construction:**Stainless steel braid with PTFE liner  
(Optional carbon look or clear covering available)**Compatible fittings:**

600MP reusable / 600MP crimp

**Please note:**

Other hose sizes are available with coatings by special request. Anti-static used in sizes dash 4 upwards.

**600MP HOSE SERIES (MEDIUM PRESSURE)**

600 series Medium Pressure AN-04, AN-05, AN-06 &amp; AN-08 bore size hoses are designed for fuel, oil, water and damper reservoir systems. The 600 series hose strongly resists expansion under high pressure and temperature.

The Stainless Steel braid offers abrasion, corrosion and fire resistance, which also provides heat protection to up to 260°C.



Data in this table is for the hose only

Part No.	Dash Size	Max Bore Size mm / inches	Cover Material	Outer Diameter mm / inches	Cover OD mm / inches	PTFE Wall mm / inches	Cover Wall mm / inches	Working Press Bar / Psi	Burst Pres Bar / Psi	Weight Kg/M / Lb/Ft	Min Bend Rad mm / inches	Temp Range °C / °F
*600-04	-04	5,0 (0,197)	None	7,65 (0,301)	-	0,76 (0,003)	-	280 (4061)	840 (12183)	0,075 (0,05)	50 (1,97)	-70/+260 (-94/+500)
600-04BK	-04	5,0 (0,197)	Black	7,65 (0,301)	8,65 (0,340)	0,76 (0,003)	0,5 (0,019)	280 (4061)	840 (12183)	0,098 (0,066)	50 (1,97)	-10/+60 (+14/+140)
600-04CB	-04	5,0 (0,197)	Carboline	7,65 (0,301)	8,65 (0,340)	0,76 (0,003)	0,5 (0,019)	280 (4061)	840 (12183)	0,098 (0,066)	50 (1,97)	-10/+60 (+14/+140)
600-04CL	-04	5,0 (0,197)	Clear	7,65 (0,301)	8,65 (0,340)	0,76 (0,003)	0,5 (0,019)	280 (4061)	840 (12183)	0,098 (0,066)	50 (1,97)	-10/+60 (+14/+140)
*600-05	-05	6,3 (0,248)	None	8,9 (0,350)	-	0,76 (0,003)	-	230 (3335)	690 (10007)	0,105 (0,071)	70 (2,756)	-70/+260 (-94/+500)
600-05CB	-05	6,3 (0,248)	Carboline	8,9 (0,350)	9,9 (0,354)	0,76 (0,003)	0,5 (0,019)	230 (3335)	690 (10007)	0,105 (0,071)	70 (2,756)	-10/+60 (+14/+140)
600-05CL	-05	6,3 (0,248)	Clear	8,9 (0,350)	9,9 (0,354)	0,76 (0,003)	0,5 (0,019)	230 (3335)	690 (10007)	0,105 (0,071)	70 (2,756)	-10/+60 (+14/+140)
*600-06	-06	8,2 (0,323)	None	11,15 (0,439)	-	0,76 (0,003)	-	210 (3045)	630 (9137)	0,135 (0,091)	100 (3,937)	-70/+260 (-94/+500)
*600-08	-08	10,6 (0,417)	None	12,75 (0,502)	-	0,76 (0,003)	-	180 (2610)	540 (7832)	0,149 (0,100)	130 (5,118)	-70/+260 (-94/+500)

\*Note: Temperature affects maximum working pressure as listed; for temps above 130°C reduce the working pressure by 0.75% for each degree above 130°C. Max 260°C.

**Fluid applications:**

Brake, Clutch, Pressure Gauge, Fuel Injection, Fire extinguisher, Nitrous &amp; Hydraulics.

**Construction:**

Aramid Fibre outer braid with PTFE liner

**Compatible fittings:**

600MP crimp (special equipment required)

**700K HOSE SERIES (AN-04 MEDIUM PRESSURE)**

The 700 series hose range is a PTFE lined light weight equivalent to the 600 series, wrapped in an Aramid fibre braid. Motorsport use only. Applications include brake, clutch, fuel injection, fire extinguisher, nitrous, pressure gauge &amp; hydraulics.

The PTFE liner is braided in light weight Aramid fibre, providing consistent brake and clutch pedal/lever feel (When used for brake/clutch applications), whilst eliminating any sponginess that may be found with the equivalent rubber hose.



Data in this table is for the hose only

Part No.	Dash Size	Max Bore Size mm / inches	Cover Material	Outer Diameter mm / inches	Cover OD mm / inches	PTFE Wall mm / inches	Cover Wall mm / inches	Working Press Bar / Psi	Burst Pres Bar / Psi	Weight Kg/M / Lb/Ft	Min Bend Rad mm / inches	Temp Range °C / °F
700K-04BK	-04	5,0 (0,197)	Black PVC	9,2 (0,363)	9,6 (0,378)	0,76 (0,030)	0,9 (0,035)	150 (2175)	450 (6526)	0,074 (0,05)	50 (1,968)	-20/+85 (-4/+185)

Note: Temperature affects maximum working pressure as listed; for temps above 130°C reduce the working pressure by 0.75% for each degree above 130°C. Max 185°C.