

# HC6D2 miniBOOSTER



HC6D2: 9

$P_{IN}$ : 20 - 200 ( )

$P_H$ : 800 ( )

$P_{RETURN}$  ( ) ; ( )

$$: P_H = (P_{IN} - P_{RETURN}) i ( )$$

2

: .10

:

A =

HC6D2



miniBOOSTER, HC6D2

41,0 /

24

HC6D2

i	/	/
1,0	41,0	70,0
1,2	38,2	70,0
1,5	34,0	70,0
2,0	29,7	70,0
3,0	22,5	70,0
3,9	17,5	70,0
5,2	14,5	70,0
7,1	8,5	70,0
10,1	6,0	70,0



	IN / R	H1, S1, H2 S2	D1 D2
1	1/2" BSPP	1/2" BSPP	1/8" BSPP

### BSPP

	IN / R	H
	1/2" BSPP	1/2" BSPP
	13,0 10/	13,0 10/
	7,0 10/	-
	13,0 10/	13,0 10/

1: ( . > 5 %)

2: miniBOOSTER

• , H- pur ( )

### HC6D2

HC6D2 i = 3,9,  
BSPP: HC6D2 - 3,9 - A - 1HH

	, i		
HC6D2	...	...	...
		$A = ( ) / A$	1